

2007

- Abbas F, Memon A, Siddiqui T, Kayani N, Ahmad NA. Granular cell tumors of the urinary bladder. *World J Surg Oncol.* 2007 Mar 13;5:33.
- Ahmad Z, Azad NS, Yaqoob N, Husain A, Ahsan A, Khan AN, Ahmed R, Kayani N, Pervez S, Hassan SH. Related Articles Frequency of primary solid malignant neoplasms in both sexes, as seen in our practice. *J Ayub Med Coll Abbottabad.* 2007 JanMar;19(1):53-5.
- Ahmad Z, Idrees R, Azad NS, Ahmed R, Ahsan A, Asghar N. Gastric carcinoma: typing, staging, lymph node and resection margin status on gastrectomy specimens. *J Coll Physicians Surg Pak.* 2007 Sep;17(9):539-42.
- Ahmed N, Bhurgri Y, Sadiq S, Shakoor KA. Pediatric brain tumours at a tertiary care hospital in karachi. *Asian Pac J Cancer Prev.* 2007 Jul-Sep;8(3):399-404.
- Akhtar S, Moatter T. Multilevel modeling of intra-household spread of hepatitis C virus infection, Karachi, Pakistan. *Am J Trop Med Hyg.* 2007 Mar;76(3):446-9.
- Akhtar S, White F, Hasan R, Rozi S, Younus M, Ahmed F, Husain S, Khan BS. Hyperendemic pulmonary tuberculosis in peri-urban areas of Karachi, Pakistan. *BMC Public Health.* 2007 May 3;7:70.
- Ali A, Hasan Z, Tanveer M, Siddiqui RA, Ghebremichael S, Kallenius G, Hasan R. Characterization of Mycobacterium tuberculosis Central Asian Strain1 using mycobacterial interspersed repetitive unit genotyping. *BMC Microbiol.* 2007
- Ali N, Kamran N, Adil S, Pervez S. Metastatic signet ring gastric adenocarcinoma presenting with microangiopathic hemolytic anemia. *Indian J Gastroenterol.* 2007 Jul-Aug;26(4):185-6.
- Ali N, Usman M, Syed N, Khurshid M.: Haemorrhagic manifestations and utility of haematological parameters in dengue fever: A tertiary care centre experience at Karachi. *Scand J Infect Dis.* 2007 May 30;;1-4
- Ali N, Usman M, Syed N, Khurshid M. Haemorrhagic manifestations and utility of haematological parameters in dengue fever: a tertiary care centre experience at Karachi.. *Scand J Infect Dis.* 2007;39(11-12):1025-8.
- Azad NS, Ahmad Z, Ahsan A, Fatimi S, Ahmed R, Kayani N, Pervez S, Hasan SH. Thymoma : a clinicopathologic association of world health organization histologic subtype and invasive behaviour. *J Coll Physicians Surg Pak.* 2007 Nov;17(11):658-61.
- Bhurgri Y, Kayani N, Faridi N, Pervez S, Usman A, Bhurgri H, Malik J, Bashir I, Bhurgri A, Hasan SH, Zaidi S. Related Articles, Links Patho-epidemiology of Breast Cancer in Karachi '1995-1997'. *Asian Pac J Cancer Prev.* 2007 Apr-Jun;8(2):215-20.
- Bhurgri Y, Nazir K, Shaheen Y, Usman A, Faridi N, Bhurgri H, Malik J, Bashir I, Bhurgri A, Hasan SH, Kayani N, Zaidi S. Patho-epidemiology of Cancer Corpus Uteri in Karachi South '1995-1997'. *Asian Pac J Cancer Prev.* 2007 Oct-Dec;8(4):489-94.
- Bhurgri Y, Nazir K, Shaheen Y, Usman A, Faridi N, Bhurgri H, Malik J, Bashir I, Bhurgri A, Hasan SH, Kayani N, Zaidi S. Patho-epidemiology of Cancer Corpus Uteri in Karachi South '1995-1997'. *Asian Pac J Cancer Prev.* 2007 Oct-Dec;8(4):489-94.
- Bhurgri Y, Nazir K, Shaheen Y, Usman AU, Faridi NF, Bhurgri H, Malik J, Bashir I, Bhurgri A, Kayani N, Pervez S, Hasan SH, Setna F, Zaidi S. Patho-epidemiology of Cancer Cervix in Karachi South. *Asian Pac J Cancer Prev.* 2007 Jul-Sep;8(3):357-62.
- Hasan R, Irfan S. MODS assay for the diagnosis of TB. *N Engl J Med.* 2007 Jan 11;356(2):188-189.
- Hasan Z, Pawlowski A, Vivar N, Kallenius G. *Mycobacterium bovis BCG* inhibits spontaneous apoptosis in human monocytes via a Phosphatidylinositol(PI)-3 Kinase dependant pathway. *J. Med. Sci.*,7(7)Oct 2007: 1157-1163.

Holt KE, Thomson NR, Wain J, Phan MD, Nair S, Hasan R, Bhutta ZA, Quail MA, Norbertczak H, Walker D, Dougan G, Parkhill J. Multidrug-resistant <i>Salmonella enterica</i> serovar paratyphi A harbors IncHI1 plasmids similar to those found in serovar typhi. <i>J Bacteriol.</i> 2007 Jun;189(11):4257-64.
Hussain, R., Talat, N., Shahid, F., Dawood G. (2007) Longitudinal tracking of cytokine patterns after acute exposure in household contacts. Distinct patterns of IFNg/ IL10 ratios are associated with protection and disease development. <i>Clinical and Vaccine Immunology.</i> 14 (12): 1578-1586
Idress R, Ahmad Z, Minhas K, Kayani N. Haemorrhagic manifestations and utility of haematological parameters in dengue fever: A tertiary care centre experience at Karachi. <i>Pak Med Assoc.</i> 2007 May;57(5):263-4.
Idress R, Ahmad Z, Minhas K, Kayani N. Epidermoid cyst of the ovary. <i>J Pak Med Assoc.</i> 2007 May;57(5):263-4.
Irfan M, Hussain SF, Jabeen K, Islam M. Related Articles, Links Drug susceptibility pattern of <i>Mycobacterium tuberculosis</i> in adult patients with miliary tuberculosis. <i>Trop Doct.</i> 2007 Jul;37(3):182-4.
Jamil B, Hasan R, Zafar A, Bewley K, Chamberlain J, Mioulet V, Rowlands M, Hewson R. Dengue virus serotype 3, Karachi, Pakistan. <i>Emerg Infect Dis.</i> 2007 Jan;13(1):182-3..
Jamil B, Shahid F, Hasan Z, Nasir N, Razzaki T, Dawood G, Hussain R. Interferongamma/IL10 ratio defines the disease severity in pulmonary and extra pulmonary tuberculosis. <i>Tuberculosis (Edinb).</i> 2007 Jul;87(4):279-87.
Jilani T, Moiz B, Perwaiz Iqbal M. Vitamin E Supplementation Enhances Hemoglobin and Erythropoietin Levels in Mildly Anemic Adults. <i>Acta Haematol.</i> 2008 Feb 6;119(1):45-47
Khalid S, Adil SN, Vaziri IA. Granulocytic sarcoma in the absence of acute myeloid leukemia: a case report. <i>Indian J Pathol Microbiol.</i> 2007 Jan;50(1):88-90.
Khalid S, Usman M, Adil SN, Ayub A, Khurshid M. Pattern of chromosomal abnormalities in adult acute lymphoblastic leukemia. <i>Indian J Pathol Microbiol.</i> 2007 Jan;50(1):78-81.
Khan E, Siddiqui J, Shakoor S, Mehraj V, Jamil B, Hasan R. Dengue outbreak in Karachi, Pakistan, 2006: experience at a tertiary care center. <i>Trans R Soc Trop Med Hyg.</i> 2007 Nov;101(11):1114-9.
Khan S, Jaffer NN, Khan MN, Rai MA, Shafiq M, Ali A, Pervez S, Khan N, Aziz A, Ali SH. Human papillomavirus subtype 16 is common in Pakistani women with cervical carcinoma. <i>Int J Infect Dis.</i> 2007 Jul;11(4):313-7.
Khurram M, Tariq M, Shahid P. Related Articles, Links Breast cancer with associated granulomatous axillary lymphadenitis: A diagnostic and clinical dilemma in regions with high prevalence of tuberculosis. <i>Pathol Res Pract.</i> 2007 Sep 6;
Khurshid A, Ahmad Z. Concomitant urothelial carcinoma and prostatic adenocarcinoma. <i>J Coll Physicians Surg Pak.</i> 2007 Nov;17(11):708-9.
Khurshid A, Yaqoob N, Devan HA, Pervez S. 'Nuclear grooves' in nodular hidradenoma: frequency and significance of an unrecognized histopathological feature. <i>J Cutan Pathol.</i> 2007 Nov;34(11):871-5.
Mahnaz Tanveer, Zahra Hasan, Amna R Siddiqui, Asho Ali, Akbar Kanji, Solomon Ghebremicheal and Rumina Hasan Genotyping and Drug resistance patterns of <i>M. tuberculosis</i> strains in Pakistan BMC Microbiology MS ID: 2030927029169950

Mansoor S, Siddiqui I, Adil S, Nabi Kakepoto G, Fatmi Z, Ghani F. Anion gap among patients of multiple myeloma and normal individuals. <i>Clin Biochem</i> . 2007 Mar-Apr;40(3-4):226-9.
Moatter T, Abbas Z, Shabir S, Jafri W. Clinical presentation and genotype of hepatitis delta in Karachi. <i>World J Gastroenterol</i> . 2007 May 14;13(18):2604-7.
Moatter T, Din ZU, Khilji ZL, Murad F, Kayani N, Pervez S.. Immunohistochemical HER -2/neu expression with gene amplicification by fluorescence in situ hybridization for assessment in Breast Carcinomas. <i>J Coll Physicians Surg Pak</i> 2007 Dec;17(120):726-30
Moatter T, Khilji Z, Murad F, Munim S. Analysis of amniotic fluid specimens for common chromosome disorders using interphase fluorescence in situ hybridization. <i>J Pak Med Assoc</i> . 2007 Apr;57(4):189-92.
Moiz B, Adil S, Suleman M. Transfusion medicine illustrated: B subgroup mistyped as O. <i>Transfusion</i> . 2007 May;47(5):753.
Moiz B. Glucose-6-phosphate dehydrogenase (G6PD) screening in Pakistani neonates: to be or not to be.. <i>J Pak Med Assoc</i> . 2007 Dec;57(12):618-20. .
Nizami S, Mohiuddin K, Daudi I, Ahmed Z, Memon MA. Cavernous transverse mesocolonic lymphangioma in an adult. <i>Am J Surg</i> . 2007 Jun;193(6):740-1.
Pervez S, Khan H. Infiltrating ductal carcinoma breast with central necrosis closely mimicking ductal carcinoma in situ (comedo type): a case series. <i>J Med Case Reports</i> . 2007 Sep 8;1(1):83
Pervez S, Khan MN, Nasir MI. Comparative predictive value of three prognostic markers--S-phase fraction, PCNA and Mitotic count on axillary lymph node metastasis in carcinoma breast. <i>J Ayub Med Coll Abbottabad</i> . 2007 Jan-Mar;19(1):3-5.
Pervez S, Raza AN. A child with acute appendicitis. <i>Eur J Pediatr</i> . 2008 Jan;167(1):127-8
Qureshi A. Collecting duct carcinoma: an incidental finding in a non functional kidney secondary to nephrolithiasis. <i>J Pak Med Assoc</i> . 2007 Mar;57(3):154-5.
Qureshi A. Melanoma presenting as pericardial effusion. <i>J Coll Physicians Surg Pak</i> . 2007 Oct;17(10):644-5.
Qureshi A. True malignant mixed tumor of parotid. <i>J Coll Physicians Surg Pak</i> . 2007 Nov;17(11):697-8.
Siddiqui S, Hussein K, Manasia R, Samad A, Salahuddin N, Zafar A, Hoda MQ. Impact of antibiotic restriction on broad spectrum antibiotic usage in the ICU of a developing country. <i>J Pak Med Assoc</i> . 2007 Oct;57(10):484-7.
Syed NN, Adil SN, Sajid R, Usman M, Moiz B, Kakepoto GN, Khurshid M. Chronic ITP: analysis of various factors at presentation which predict failure to first line treatment and their response to second line therapy : <i>J Pak Med Assoc</i> . 2007 Mar;57(3):126-9.
Syed NN, Moiz B, Adil SN, Khurshid M. Diagnostic importance of bone marrow examination in non-hematological disorders. <i>J Pak Med Assoc</i> . 2007 Mar;57(3):123-5
Syed NN, Usman M, Khurshid M. Thrombocytosis: age dependent aetiology and analysis of platelet indices for differential diagnosis. <i>Indian J Pathol Microbiol</i> . 2007 Jul;50(3):628-33.
Uddin Z, Yaqoob N, Kayani N, Hasan SH. Clear cell carcinoma of ovary with associated mucinous cystadenoma and endometriosis. <i>J Pak Med Assoc</i> . 2007 Jul;57(7):373-5.

<p>Usman M, Syed NN, Kakepoto GN, Adil SN, Khurshid M. Chronic Phase Chronic Myeloid Leukemia: Response of Imatinib Mesylate and significance of Sokal score, Age and Disease duration in Predicting the Hematological and Cytogenetic Response.J Assoc Physicians India. 2007 Feb;55:103-7.</p>
<p>Zafar A, Jabeen K. Antimicrobial resistance in Neisseria gonorrhoeae and limited treatment options.J Pak Med Assoc. 2007 Jul;57(7):333-4.</p>
<p>Zafar A, Swanepoel R, Hewson R, Nizam M, Ahmed A, Husain A, Grobbelaar A, Bewley K, Mioulet V, Dowsett B, Easterbrook L, Hasan R. Nosocomial buffalopoxvirus infection, Karachi, Pakistan. Emerg Infect Dis. 2007 Jun;13(6):902-4.</p>
<p>Zeeshan M, Jabeen K, Akbar AN, Ali AW, Farooqui SZ, Mehraj V, Zafar A. Evaluation of immune response to Hepatitis B Vaccine in health care workers at a tertiary care hospital in Pakistan: an observational prospective study.BMC Infect Dis. 2007 Oct 25;7(1):120</p>
<p>Zeeshan M, Jabeen K, Khan E, Irfan S, Ibrahim S, Parween Z, Zafar A. Comparison of different phenotypic methods of detection of methicillin resistance in Staphylococcus Aureus with the molecular detection of mec-A gene. J Coll Physicians Surg Pak. 2007 Nov;17(11):666-70.</p>
<p>Khan AH. My travelling report to UK, published in The Association of Clinical Pathologists Newsletter "acp News" in winter 2007.</p>