

## CHS PUBLICATIONS

### Health System and Policy Research Group

(1-74)

1. Suhail N, Ali SA, Qidwai W, Ali SA, Iqbal S, Memon Y, et al. Storage of medicines and temperature control at community pharmacies in rural district of Sindh, Pakistan: an exploratory cross-sectional study. *Middle East Journal of Family Medicine*. 2016;14(4).
2. Shah SM, Zaidi S, Ahmed J, Rehman SU. Motivation and retention of physicians in primary healthcare facilities: a qualitative study from Abbottabad, Pakistan. *International Journal of Health Policy and Management*. 2016;5(8):467-75.
3. Rabbani F, Shipton L, Aftab W, Sangrasi S, Perveen S, Zahidie A. Inspiring health worker motivation with supportive supervision: a survey of lady health supervisor motivating factors in rural Pakistan. *BMC Health Services Research* (in press). 2016.
4. Rabbani F, Shipton L, White F, Nuwayhid I, London L, Ghaffar A, et al. Schools of public health in low and middle-income countries: an imperative investment for improving the health of populations? *BMC Public Health* (in press). 2016.
5. Rabbani F, Perveen S, Aftab W, Zahidie A, Sangrasi K, Qazi S. Health workers perspectives, knowledge and skills regarding community case management of childhood diarrhea and pneumonia: a qualitative inquiry for an implementation research project "Nigraan" in District Badin, Sindh, Pakistan. *BMC Health Services Research* (in press). 2016.
6. Pradhan NA, Brown N, Sami N, Rizvi N. Integrated management of childhood illness strategy implementation in a rural district of Pakistan through the lens of planners and implementers. *International Journal of Healthcare*. 2016;2(1):p139.
7. Memon Z, Zaidi S, Riaz A. Residual barriers for utilization of maternal and child health services: community perceptions from rural Pakistan. *Global Journal of Health Science*. 2016;8(7):47.
8. Hiatt RA, Engmann NJ, Ahmed M, Amarsi Y, Macharia WM, Macfarlane SB, et al. Population Health Science: A Core Element of Health Science Education in Sub-Saharan Africa. *Academic Medicine*. 2016:doi:10.1097/ACM.0000000000001320.
9. Habib SS, Perveen S, Khuwaja HM. The role of micro health insurance in providing financial risk protection in developing countries--a systematic review. *BMC Public Health*. 2016;16:281.
10. Aysha Z, Kashif S, Saleem I, Parveen S, Aftab W, Rabbani F. Strengthening health system: using mobile phones for co-ordinated community case management of childhood diarrhea and pneumonia in district Badin, Pakistan. *Health Systems and Policy Research* 2016;3:2.
11. Khan K, Rafique G, Bawani S, Hasan F, Haroon A. Social and Societal Context of Women's Mental Health, What Women Want, What They Get Gap Analysis in Pakistan of Mental Health Services, Policies and Research. In: Khanlou N, Pilkington B, editors. *Women's mental health: resistance and resilience in community and society* 2015

*Last updated in September 2016*

12. Zaidi S, Riaz A, Rabbani F, Azam SI, Imran SN, Pradhan NA, et al. Can contracted out health facilities improve access, equity, and quality of maternal and newborn health services? Evidence from Pakistan. *Health Research Policy and Systems*. 2015;13(1):47.
13. Riaz A, Zaidi S, Khowaja AR. Perceived barriers to utilizing maternal and neonatal health services in contracted-out versus government-managed health facilities in the rural districts of Pakistan. *International Journal of Health Policy and Management*. 2015;4(5):279.
14. Rabbani F, Pradhan NA, Zaidi S, Azam SI, Yousuf F. Service quality in contracted facilities. *International Journal of Health Care Quality Assurance*. 2015;28(5):520-31.
15. Rabbani F, Perveen S, Aftab W. Investing in universal health coverage for childhood diarrhea and pneumonia: lessons learnt from NIGRAAN implementation research. *Pakistan Journal of Public Health*. 2015;5(1):28-30.
16. Rabbani F, Perveen S, Abbasi I, Aftab W, Sangrasi K, Shipton L, et al. Policy makers perceptions regarding performance of the lady health worker programme: is there a know-do gap? Findings from the NIGRAAN Project. *Pakistan Journal of Public Health*. 2015;5(4):30-4.
17. Rabbani F, Zahidie A, Sangrasi K. Combating childhood pneumonia and diarrhea at community level: potential of m health to improve interaction among health workers. *Infectious Diseases Journal of Pakistan (Guest Editorial)*. 2015;24(03):836-7.
18. Rabbani F, Khan K, Shipton S. Bridging the gap between evidence-based care and medical humanities. In: Marini MG, editor. *Narrative Medicine*. London. UK: Springer Publication; 2015.
19. Rabbani F. Report on the Expert consultation on regional hospital strategy development and capacity-building of hospital managers. WHO-EMR Regional Office Cairo, Egypt: WHO, 2015.
20. Malik MA, Gul W, Abrejo F. Cost of primary health care in Pakistan. *Journal of Ayub Medical College Abbottabad*. 2015;27(1):88.
21. Gul X, Rabbani F, Perveen S, Aftab W, Zahidie A, Sangrasi K. The trainer's manual for lady health supervisors to improve community case management of pneumonia and diarrhoea in children under five years through structured supportive supervision of lady health workers . NIGRAAN – an implementation research project. Karachi, Pakistan 2015.
22. Allana AA, Khan KS, Bawani S. Gender training in pakistan: an analysis for way forward *European Scientific Journal*. 2015;1 ISSN: 1857 – 7881.
23. Zaidi S, Khan AL, Mukhi AA, Memon Y, Slama S, Jabbour S. Integration of non-communicable diseases into primary health care: a snapshot from Eastern Mediterranean region 2014 [Available from: [http://ecommons.aku.edu/cgi/viewcontent.cgi?article=1192&context=pakistan\\_fhs\\_mc\\_chs\\_chs](http://ecommons.aku.edu/cgi/viewcontent.cgi?article=1192&context=pakistan_fhs_mc_chs_chs).
24. Zaidi S. Sindh health sector strategy 2012 – 2020 Pakistan: Department of Health Government of Sindh and Health Sector Reform Unit, 2014.
25. Zahidie A, Wasim S, Fatmi Z. Vaccine effectiveness and risk factors associated with measles among children presenting to the ospitals of Karachi, Pakistan. *Journal of College of Physicians and Surgeons, Pakistan*. 2014;24(12):882-8.
26. Wasay M, Zaidi S, Jooma R. Non communicable diseases in Pakistan: burden, challenges and way forward for health care authorities. *Journal of Pakistan Medical Association*. 2014;64(11):1218-9.

27. Tanzil S, Zahidie A, Ahsan A, Kazi A, Shaikh BT. A case study of outsourced primary healthcare services in Sindh, Pakistan: is this a real reform? BMC Health Services Research. 2014;14(1):1.
28. Rabbani F, Mukhi AA, Perveen S, Gul X, Iqbal SP, Qazi SA, et al. Improving community case management of diarrhoea and pneumonia in district Badin, Pakistan through a cluster randomised study- the NIGRAAN trial protocol. Implementation Science. 2014;9(1):186.
29. Rabbani F, Hashmani FN, Mukhi AAA, Gul X, Pradhan N, Hatcher P, et al. Hospital management training for the eastern mediterranean region: time for a change? Journal of Health Organization and Management. 2014;29(7):965-72.
30. Malik AM. How to write an introduction and methods of a systematic review of literature. Journal of Pakistan Medical Association. 2014;64(10):1208.
31. Ilyas R, Zaman KS, Pradhan N, Feroz H, Jamal Z, Amjad N, et al. Retention of knowledge and skills of basic life support among health care providers trained in tertiary care hospital. Pakistan Heart Journal. 2014;47(1).
32. Hatcher P, Shaikh S, Fazli H, Zaidi S, Riaz A. Provider cost analysis supports results-based contracting out of maternal and newborn health services: an evidence-based policy perspective. BMC Health Services Research. 2014;14(1):1.
33. Haidari AM, Zaidi S, Gul R. Prospects for the sustainability of delivering the basic package of health services in Afghanistan: a stakeholder analysis. Eastern Mediterranean Health Journal. 2014;20(5):300.
34. Bawani S. Towards developing a framework of violence against women (VAM). Pakistan Journal of Medical Education 2014; 8(2).
35. Abbasi IN. Protest of doctors: a basic human right or an ethical dilemma. BMC Medical Ethics. 2014;15(1):1.
36. Zaidi S, Rabbani F, Riaz A, Pradhan N, Hatcher P. Improvement in access and equity for maternal and newborn health services: comparative advantages of contracted out versus non-contracted facilities. British Council. 2013.
37. Zaidi S, Nishtar NA. Rational prescription and use: a snapshot of the evidence from Pakistan and emerging concerns. Therapy. 2013;19:20.
38. Zaidi S, Gul X, Nishtar N. Parallel NGO networks for HIV control: risks and opportunities for NGO contracting. Global Journal of Health Science. 2013;5(2):171.
39. Zaidi S, Bigdeli M, Aleem N, Rashidian A. Access to essential medicines in Pakistan: policy and health systems research concerns. PloS One. 2013;8(5):e63515.
40. Zaidi S, Bhutta ZA. Result based financial mechanisms for improving maternal, newborn and child health outputs. Global Mother Child Research. 2013.
41. Zahidie A, Rabbani F, Sheikh A. Impact of water, sanitation and health education interventions on health and hygiene behaviors: a study from northern Pakistan. Pakistan Journal of Public Health. 2013;3(1):39-44.
42. Zahidie A, Altaf A, Ahsan A, Jamali T. Research fatigue among injecting drug users in Karachi, Pakistan. Harm Reduction Journal. 2013;10(1):1.
43. Vakani FS, Zahidie A. Teaching the social determinants of health in medical schools: challenges and strategies. Journal of the College of Physicians and Surgeons, Pakistan. 2013;23(1):99-100.

44. Rashidian A, Jahanmehr N, Jabbour S, Zaidi S, Soleymani F, Bigdeli M. Bibliographic review of research publications on access to and use of medicines in low-income and middle-income countries in the Eastern Mediterranean Region: identifying the research gaps. *BMJ Open*. 2013;3(10).
45. Rabbani F, Perveen S, Wasim S, Toure K, Nurse-Findlay S, Mobeen N. Evaluating regional workshops on strengthening the capacity of healthcare professional associations to achieve Millennium Development Goals 4 and 5. *International Journal of Gynecology and Obstetrics*. 2013;124(3):265-9.
46. Rabbani F, Gul AX, Perveen S. Overcoming the MDG 4 implementation challenges: redefining the role of LHS in structured supportive supervision of LHWs. *Pakistan Journal of Public Health*. 2013;2(4):52-4.
47. Rabbani F, Gul AX. Revitalizing primary health care in the post MDGs scenario by addressing social and environmental determinants of health: the Aga Khan University's urban health program. *Pakistan Journal of Public Health*. 2013;3(1):65-8.
48. Pradhan NA, Rizvi N, Sami N, Gul X. Insight into implementation of facility-based integrated management of childhood illness strategy in a rural district of Sindh, Pakistan. *Global Health Action*. 2013;6.
49. Malik MA, Wasay M. Economics of health and health care in Pakistan. 2013.
50. Malik MA. The pharmaceuticals industry, intellectual property rights and access to medicines in Pakistan. In: Löfgren H, Williams O, editors. *The new political economy of pharmaceuticals: production, innovation and TRIPS in the Global South*: Springer; 2013.
51. Khan KS, Rafique G, Bawani A, Amir S. Missing dimensions in addressing child malnutrition in Pakistan: lessons from the tawana experience. *IDS Bulletin*. 2013;44(3):81-5.
52. Khan KS, Bawani SAA, Aziz A. Bridging the gap of knowledge and action: a case for participatory action research (PAR). *Action Research*. 2013;1476750313477158.
53. Khan KS, Bawani S, Amir A. Ethics and social accountability-two sides of the same coin integrating social accountability in medical education. *Education in Medicine Journal*. 2013;5(4).
54. Khan AA, Zahidie A, Rabbani F. Interventions to reduce neonatal mortality from neonatal tetanus in low and middle income countries-a systematic review. *BMC Public Health*. 2013;13(1):1.
55. Ghaffar A, Zaidi S, Qureshi H, Hafeez A. Medical education and research in Pakistan. *The Lancet*. 2013;381(9885):2234-6.
56. Bawani SA. Young physician's strike: reconstructing ethical reasoning for change. *Pakistan Journal of Medical Ethics*. Pakistan 2012 Vol.13, 1and 2 6-9.
57. Zaidi S, Mayhew SH, Cleland J, Green AT. Context matters in NGO and government contracting for health service delivery: a case study from Pakistan. *Health Policy and Planning*. 2012;27(7):570-81.
58. Zaidi S, Gul X. NPO performance in reproductive health sector of low and middle income countries: what is the influence of the wider policy context? *International Journal of Developing Societies*. 2012;1(4):141-8.

59. Shaikh S, Naeem I, Nafees A, Zahidie A, Fatmi Z, Kazi A. Experience of devolution in district health system of Pakistan: perspectives regarding needed reforms. *Journal of the Pakistan Medical Association*. 2012;62(1):28.
60. Rabbani F, Memon Y, Gul AX, Pradhan N, Khowaja F, Hatcher PR. Model of a successful community campus partnership: urban health program of Aga Khan University Karachi. *Pakistan Journal of Public Health*. 2012;2(1):71-3.
61. Naseer M, Zahidie A, Shaikh BT. Determinants of patient's satisfaction with health care system in Pakistan: a critical review. *Pakistan Journal of Public Health*. 2012;2(2):52.
62. Malik AM, Syed IA. Socio-economic determinants of household out-of-pocket payments on healthcare in Pakistan. *International Journal for Equity in Health*. 2012;11(51):doi:10.1186/475-9276-11-51.
63. Zaidi S, Mayhew SH, Palmer N. Bureaucrats as purchasers of health services: limitations of the public sector for contracting. *Public Administration and Development*. 2011;31(3):135-48.
64. Rabbani F, Lalji SNH, Abbas F, Jafri SMW, Razzak JA, Nabi N, et al. Understanding the context of balanced scorecard implementation: a hospital-based case study in Pakistan. *Implementation Science*. 2011;6(1):1.
65. Rabbani F. Collaboration in action. abstract book published on the occasion of AKU 25 years and Karolinska Institutet 200 years celebrations. 2011.
66. Rabbani F. Improving quality of care in hospitals: is there a role for performance management? *Pakistan Journal of Public Health*. 2011;1(1):53-5.
67. Nafees AA, Nayani P. Stewardship in Health Policy and its relevance to Pakistan. *Journal of Pakistan Medical Association*. 2011;61(8):795-800.
68. Zaidi S, Shehzad S, Sayeed A, Khowaja L. Landscaping health financing works in Pakistan Eastern Mediterranean Regional Office: World Health Organization 2010.
69. Shaikh B, Rabbani F, Safi N, Dawar Z. Contracting of primary health care services in Pakistan: is up-scaling a pragmatic thinking. *Journal of the Pakistan Medical Association*. 2010;60(5):387.
70. Rabbani F, Jafri SMW, Abbas F, Shah M, Azam SI, Shaikh BT, et al. Designing a balanced scorecard for a tertiary care hospital in Pakistan: a modified Delphi group exercise. *The International Journal of Health Planning and Management*. 2010;25(1):74-90.
71. Rabbani F. Science and practice of balanced scorecard in a hospital in Pakistan: feasibility, context, design and implementation. 978-91-7409-828-0 I, editor: Department of Public Health Sciences (PhD thesis); 2010.
72. Thatte U, Hussain S, Rosas-Valera D, Malik MA. Evidence-based decision on medical technologies in Asia Pacific: experiences from India, Malaysia, Philippines, and Pakistan. *Value in Health*. 2009;12(s3):S18-S25.
73. Rabbani F, Wasim Jafri SM, Abbas F, Jahan F, Syed NA, Pappas G, et al. Culture and quality care perceptions in a Pakistani hospital. *International Journal of Health Care Quality Assurance*. 2009;22(5):498-513.
74. Malik MA. National health accounts: lessons for Pakistan. *Journal of the Pakistan Medical Association*. 2009;59(10):712.

## Population and Reproductive Health Research Group

(1-81)

1. Suhail N, Ali SA, Ali SA. How to prevent hepatitis B in Pakistan: role of social marketing. *Journal of Infectious Diseases and Diagnosis* 2016;1(2):doi:10.4172/jidd.100106.
2. Klein K, McClure EM, Colaci D, Thorsten V, Hibberd PL, Esamai F, et al. The antenatal corticosteroids trial (ACT): a secondary analysis to explore site differences in a multi-country trial. *Reproductive Health*. 2016;13(1):1.
3. Hibberd PL, Hansen NI, Wang ME, Goudar SS, Pasha O, Esamai F, et al. Trends in the incidence of possible severe bacterial infection and case fatality rates in rural communities in Sub-Saharan Africa, South Asia and Latin America, 2010-2013: a multicenter prospective cohort study. *Reproductive Health*. 2016;13(1):65.
4. Goldenberg RL, Thorsten VR, Althabe F, Saleem S, Garces A, Carlo WA, et al. The global network antenatal corticosteroids trial: impact on stillbirth. *Reproductive Health*. 2016;13(1):68.
5. Goldenberg RL, Saleem S, Pasha O, Harrison MS, McClure EM. Reducing stillbirths in low-income countries. *Acta Obstetrica et Gynecologica Scandinavica*. 2016;95(2):135-43.
6. Berrueta M, Hemingway-Foday J, Thorsten VR, Goldenberg RL, Carlo WA, Garces A, et al. Use of antenatal corticosteroids at health facilities and communities in low-and-middle income countries. *Reproductive Health*. 2016;13(1):1.
7. Bann CM, Wallander JL, Do B, Thorsten V, Pasha O, Biasini FJ, et al. Home-based early intervention and the influence of family Resources on cognitive development. *Pediatrics*. 2016;137(4).
8. Althabe F, Thorsten V, Klein K, McClure EM, Hibberd PL, Goldenberg RL, et al. The Antenatal Corticosteroids Trial (ACT)'s explanations for neonatal mortality-a secondary analysis. *Reproductive health*. 2016;13(1):1.
9. Ali SA, Suhail N, Ali SA. Role of cultural and social barriers in increased burden of hepatitis B in Pakistan: literature review. *Journal of Infectious Diseases and Diagnosis* 2016;1(2):doi:10.4172/jidd.100105.
10. Ali SA, Ali SA, Suhail KN. Determinants of unintended pregnancy among women of reproductive age in developing countries: a narrative review. *Journal of Midwifery and Reproductive Health*. 2016;4(1):513-21.
11. Ali SA, Razaq S, Khan A. Surveillance system proposed to monitor the burden of diarrheal diseases in Pakistan: a short communication. *Journal of General Practice*. 2016;4(258):2.
12. Zahid N, Saleem S, Azam I, Moatter T. Association of obesity with infertility among Pakistani men: a case control study. *Open Journal of Epidemiology*. 2015;5(03):204.
13. Rehman A, Imran S, Hassan M, Akhlaq A, Iqbal S, Beg F, et al. Taxi drivers' attitudes toward road safety in Pakistan. *Public Health*. 2015;129(6):818-21.
14. Patel AB, Meleth S, Pasha O, Goudar SS, Esamai F, Garces AL, et al. Impact of exposure to cooking fuels on stillbirths, perinatal, very early and late neonatal mortality-a multicenter prospective cohort study in rural communities in India, Pakistan, Kenya, Zambia and Guatemala. *Maternal Health, Neonatology and Perinatology*. 2015;1(1):1.
15. Patel A, Bucher S, Pusdekar Y, Esamai F, Krebs NF, Goudar SS, et al. Rates and determinants of early initiation of breastfeeding and exclusive breast feeding at 42 days postnatal in six low and middle-income countries: A prospective cohort study. *Reproductive Health*. 2015;12(2):1.
16. Pasha O, Saleem S, Ali S, Goudar SS, Garces A, Esamai F, et al. Maternal and newborn outcomes in Pakistan compared to other low and middle income countries in the Global Network's Maternal

*Last updated in September 2016*

- Newborn Health Registry: an active, community-based, pregnancy surveillance mechanism. *Reproductive Health*. 2015;12 Suppl 2:S15.
17. Pasha O, Goudar SS, Patel A, Garces A, Esamai F, Chomba E, et al. Postpartum contraceptive use and unmet need for family planning in five low-income countries. *Reproductive Health*. 2015;12(2):1.
  18. McClure EM, Saleem S, Goudar SS, Moore JL, Garces A, Esamai F, et al. Stillbirth rates in low-middle income countries 2010-2013: a population-based, multi-country study from the Global Network. *Reproductive Health*. 2015;12(2):1.
  19. McClure EM, Bose CL, Garces A, Esamai F, Goudar SS, Patel A, et al. Global network for women's and children's health research: a system for low-resource areas to determine probable causes of stillbirth, neonatal, and maternal death. *Maternal Health, Neonatology and Perinatology*. 2015;1:11.
  20. Marete I, Tenge C, Chemweno C, Bucher S, Pasha O, Ramadurg UY, et al. Lost to follow-up among pregnant women in a multi-site community based maternal and newborn health registry: a prospective study. *Reproductive Health*. 2015;12(2):1.
  21. Madhani FI, Karmaliani R, Patel C, Bann CM, McClure EM, Pasha O, et al. Women perceptions and experiences of domestic violence an observational study from Hyderabad, Pakistan. *Journal of Interpersonal Violence*. 2015: 0886260515585533.
  22. Khan KS, Rafique G, Bawani S, Hasan F, Haroon A. Social and societal context of women's mental health, what women want, what they get: gap analysis in Pakistan of mental health services, policies and research. *Women's Mental Health: Springer*; 2015. p. 33-50.
  23. Khan AA, Haider G, Sheikh MR, Ali AF, Khalid Z, Tahir MM, et al. Prevalence of post-traumatic stress disorder due to community violence among university students in the world's most dangerous megacity a cross-sectional study from Pakistan. *Journal of Interpersonal Violence*. 2015.
  24. Harrison MS, Ali S, Pasha O, Saleem S, Althabe F, Berrueta M, et al. A prospective population-based study of maternal, fetal, and neonatal outcomes in the setting of prolonged labor, obstructed labor and failure to progress in low- and middle-income countries. *Reproductive Health*. 2015;12 Suppl 2:S9.
  25. Goudar SS, Stolka KB, Koso-Thomas M, Honnungar NV, Mastiholi SC, Ramadurg UY, et al. Data quality monitoring and performance metrics of a prospective, population-based observational study of maternal and newborn health in low resource settings. *Reproductive Health*. 2015;12 Suppl 2:S2.
  26. Goudar SS, Derman RJ, Honnungar NV, Patil KP, Swamy MK, Moore J, et al. An intervention to enhance obstetric and newborn care in India: a cluster randomized-trial. *Maternal and Child Health Journal*. 2015;19(12):2698-706.
  27. Dhaded SM, Somannavar MS, Vernekar SS, Goudar SS, Mwenche M, Derman R, et al. Neonatal mortality and coverage of essential newborn interventions 2010 - 2013: a prospective, population-based study from low-middle income countries. *Reproductive Health*. 2015;12 Suppl 2:S6.
  28. Bucher S, Marete I, Tenge C, Liechty EA, Esamai F, Patel A, et al. A prospective observational description of frequency and timing of antenatal care attendance and coverage of selected interventions from sites in Argentina, Guatemala, India, Kenya, Pakistan and Zambia. *Reproductive Health*. 2015;12 Suppl 2:S12.
  29. Bose CL, Bauserman M, Goldenberg RL, Goudar SS, McClure EM, Pasha O, et al. The Global Network Maternal Newborn Health Registry: a multi-national, community-based registry of pregnancy outcomes. *Reproductive Health*. 2015;12(2):1.
  30. Bhamani SS, Zahid N, Azam I, Asad N, Karmaliani R, Pasha O. Association of depression and life satisfaction with low resilience among married women of Karachi, Pakistan. *Open Journal of Epidemiology*. 2015;5(04):251.

31. Bauserman M, Lokangaka A, Thorsten V, Tshetu A, Goudar SS, Esamai F, et al. Risk factors for maternal death and trends in maternal mortality in low-and middle-income countries: a prospective longitudinal cohort analysis. *Reproductive Health*. 2015;12(2).
32. Althabe F, Moore JL, Gibbons L, Berrueta M, Goudar SS, Chomba E, et al. Adverse maternal and perinatal outcomes in adolescent pregnancies: The Global Network's Maternal Newborn Health Registry study. *Reproductive Health*. 2015;12 Suppl 2:S8.
33. Althabe F, Berrueta M, Hemingway-Foday J, Mazzoni A, Bonorino CA, Gowdak A, et al. A color-coded tape for uterine height measurement: a tool to identify preterm pregnancies in low resource settings. *PLoS One*. 2015;10(3):e0117134.
34. Althabe F, Belizán JM, McClure EM, Hemingway-Foday J, Berrueta M, Mazzoni A, et al. A population-based, multifaceted strategy to implement antenatal corticosteroid treatment versus standard care for the reduction of neonatal mortality due to preterm birth in low-income and middle-income countries: the ACT cluster-randomised trial. *The Lancet*. 2015;385(9968):629-39.
35. Ali SA, Suhali N, Hadi H, Hussain M, Manji M, Bano J, et al. Polio-an endemic disease in Pakistan: literature review. *i-Manager's Journal on Nursing*. 2015;5(1):29.
36. Ali SA, Saleem S, Sami N, Shabbar M, Ahmed M, Rozi S, et al. Geographic Access to Working Family Planning Centers and Unintended Pregnancies among Married Women: A Community Based Nested Case Control Study. *Open Journal of Epidemiology*. 2015;6(01):95.
37. Wallander JL, Biasini FJ, Thorsten V, Dhaded SM, de Jong DM, Chomba E, et al. Dose of early intervention treatment during children's first 36 months of life is associated with developmental outcomes: an observational cohort study in three low/low-middle income countries. *BMC Pediatrics*. 2014;14(1):1.
38. Wallander JL, Bann CM, Biasini FJ, Goudar SS, Pasha O, Chomba E, et al. Development of children at risk for adverse outcomes participating in early intervention in developing countries: a randomized controlled trial. *Journal of Child Psychology and Psychiatry*. 2014;55(11):1251-9.
39. Wallander JL, Bann C, Chomba E, Goudar SS, Pasha O, Biasini FJ, et al. Developmental trajectories of children with birth asphyxia through 36months of age in low/low-middle income countries. *Early Human Development*. 2014;90(7):343-8.
40. Saleem S, McClure EM, Goudar SS, Patel A, Esamai F, Garces A, et al. A prospective study of maternal, fetal and neonatal deaths in low- and middle-income countries. *Bulletin of the World Health Organization*. 2014;92(8):605-12.
41. Newman JE, Garces A, Mazariegos M, Michael Hambidge K, Manasyan A, Tshetu A, et al. Theory-driven process evaluation of a complementary feeding trial in four countries. *Health Education Research*. 2014;29(2):297-305.
42. McClure EM, Nathan RO, Saleem S, Esamai F, Garces A, Chomba E, et al. First look: a cluster-randomized trial of ultrasound to improve pregnancy outcomes in low income country settings. *BMC Pregnancy and Childbirth*. 2014;14:73.
43. Marete I, Tenge C, Pasha O, Goudar S, Chomba E, Patel A, et al. Perinatal outcomes of multiple-gestation pregnancies in Kenya, Zambia, Pakistan, India, Guatemala, and Argentina: a global network study. *American Journal of Perinatology*. 2014;31(2):125-32.
44. Hambidge KM, Krebs NF, Westcott JE, Garces A, Goudar SS, Kodkany BS, et al. Preconception maternal nutrition: a multi-site randomized controlled trial. *BMC Pregnancy and Childbirth*. 2014;14:111.
45. Ali SA, Khuwaja AB. Comparison of transcerebellar diameter in growth restricted and normal singleton fetuses for the assessment of gestational age: A case control study. *Elective Medicine Journal*. 2014;2(3):200-4.

46. Ali SA, Ali SA. Unmet need for contraception and unintended pregnancies among women of reproductive age group: A situation analysis. *Elective Medicine Journal*. 2014;2(3):259.
47. Ali SA, Ali SA. Child sexual abuse leads to psychological disorders: Literature review. *Elective Medicine Journal*. 2014;2(4):430.
48. Zahidie A, Jamali T. An overview of the predictors of depression among adult Pakistani women. *Journal of the College of Physicians and Surgeons Pakistan*. 2013;23(8):574.
49. Saleem S. Application of 4% chlorhexidine solution for cord cleansing after birth reduces neonatal mortality and omphalitis. *Evidence Based Medicine*. 2013;18(2):e15-e.
50. Pasha O, McClure EM, Wright LL, Saleem S, Goudar SS, Chomba E, et al. A combined community- and facility-based approach to improve pregnancy outcomes in low-resource settings: a Global Network cluster randomized trial. *BMC Medicine*. 2013;11:215.
51. Nishtar NA, Sami N, Alim S, Pradhan N. Determinants of contraceptives use amongst youth: an exploratory study with family planning service providers in Karachi Pakistan. *Global Journal of Health Science*. 2013;5(3):1.
52. Manasyan A, Saleem S, Koso-Thomas M, Althabe F, Pasha O, Chomba E, et al. Assessment of obstetric and neonatal health services in developing country health facilities. *American Journal of Perinatology*. 2013;30(9):787-94.
53. Iftikhar U, Ali SA, Tikmani SS, Azam I, Saleem S, Zaidi AK. Risk of hearing loss in children exposed to gentamicin for the treatment of sepsis in young infancy: a community based cohort study in Pakistan. *JPMA The Journal of the Pakistan Medical Association*. 2013;63(10):1226-9.
54. Goldenberg RL, McClure EM, Saleem S. A review of studies with chlorhexidine applied directly to the umbilical cord. *American Journal of Perinatology*. 2013;30(8):699-701.
55. Goldenberg RL, McClure EM, Kodkany B, Wembodinga G, Pasha O, Esamai F, et al. A multi-country study of the "intrapartum stillbirth and early neonatal death indicator" in hospitals in low-resource settings. *International Journal of Gynecology & Obstetrics*. 2013;122(3):230-3.
56. Goldenberg RL, McClure EM, Kodkany B, Wembodinga G, Pasha O, Esamai F, et al. A multi-country study of the "intrapartum stillbirth and early neonatal death indicator" in hospitals in low-resource settings. *International Journal of Gynecology & Obstetrics*. 2013;122(3):230-3.
57. Farid-ul-Hasnain S, Pradhan N. Prolonged breast-feeding prevents wasting in children: a community-based study from rural Sindh, Pakistan. *Pakistan Journal of Public Health*. 2013;3(3):2-8.
58. Carlo WA, Goudar SS, Pasha O, Chomba E, Wallander JL, Biasini FJ, et al. Randomized trial of early developmental intervention on outcomes in children after birth asphyxia in developing countries. *The Journal of Pediatrics*. 2013;162(4):705-12 e3.
59. Carlo WA, Goudar SS, Pasha O, Chomba E, Wallander JL, Biasini FJ, et al. Randomized trial of early developmental intervention on outcomes in children after birth asphyxia in developing countries. *The Journal of Pediatrics*. 2013;162(4):705-12. e3.
60. Sami N, Ali TS, Wasim S, Saleem S. Risk factors for secondary infertility among women in Karachi, Pakistan. *PloS one*. 2012;7(4):e35828.
61. Krebs NF, Mazariegos M, Chomba E, Sami N, Pasha O, Tshefu A, et al. Randomized controlled trial of meat compared with multimicronutrient-fortified cereal in infants and toddlers with high stunting rates in diverse settings. *The American journal of clinical nutrition*. 2012;96(4):840-7.
62. Goudar SS, Carlo WA, McClure EM, Pasha O, Patel A, Esamai F, et al. The Maternal and Newborn Health Registry Study of the Global Network for Women's and Children's Health Research. *International Journal of Gynecology & Obstetrics*. 2012;118(3):190-3.
63. Garces A, McClure EM, Chomba E, Patel A, Pasha O, Tshefu A, et al. Home birth attendants in low income countries: who are they and what do they do? *BMC Pregnancy and Childbirth*. 2012;12(1):1.

64. Engmann C, Garces A, Jehan I, Ditekemena J, Phiri M, Mazariegos M, et al. Causes of community stillbirths and early neonatal deaths in low-income countries using verbal autopsy: an international, multicenter study. *Journal of Perinatology*. 2012;32(8):585-92.
65. Carlo WA, Goudar SS, Pasha O, Chomba E, McClure EM, Biasini FJ, et al. Neurodevelopmental outcomes in infants requiring resuscitation in developing countries. *The Journal of Pediatrics*. 2012;160(5):781-5 e1.
66. Carlo WA, Goudar SS, Pasha O, Chomba E, McClure EM, Biasini FJ, et al. Neurodevelopmental outcomes in infants requiring resuscitation in developing countries. *The Journal of Pediatrics*. 2012;160(5):781-5. e1.
67. McClure EM, Pasha O, Goudar SS, Chomba E, Garces A, Tshefu A, et al. Epidemiology of stillbirth in low-middle income countries: a global network study. *Acta Obstetrica et Gynecologica Scandinavica*. 2011;90(12):1379-85.
68. Krebs NF, Hambidge KM, Mazariegos M, Westcott J, Goco N, Wright LL, et al. Complementary feeding: a Global Network cluster randomized controlled trial. *BMC Pediatrics*. 2011;11:4.
69. Hambidge KM, Sheng X, Mazariegos M, Jiang T, Garces A, Li D, et al. Evaluation of meat as a first complementary food for breastfed infants: impact on iron intake. *Nutrition Reviews*. 2011;69(suppl 1):S57-S63.
70. Engmann C, Jehan I, Ditekemena J, Garces A, Phiri M, Mazariegos M, et al. An alternative strategy for perinatal verbal autopsy coding: single versus multiple coders. *Tropical Medicine & International Health*. 2011;16(1):18-29.
71. Wallander JL, McClure E, Biasini F, Goudar SS, Pasha O, Chomba E, et al. Brain research to ameliorate impaired neurodevelopment-home-based intervention trial (BRAIN-HIT). *BMC Pediatrics*. 2010;10(1):1.
72. Saleem S, Rouse DJ, McClure EM, Zaidi A, Reza T, Yahya Y, et al. Chlorhexidine vaginal and infant wipes to reduce perinatal mortality and morbidity: a randomized controlled trial. *Obstet Gynecol*. 2010;115(6):1225-32.
73. Pasha O, Goldenberg RL, McClure EM, Saleem S, Goudar SS, Althabe F, et al. Communities, birth attendants and health facilities: a continuum of emergency maternal and newborn care (the Global Network's EmONC trial). *BMC Pregnancy and Childbirth*. 2010;10:82.
74. Kapadia MZ, Saleem S, Karim MS. The hidden figure: sexual intimate partner violence among Pakistani women. *The European Journal of Public Health*. 2010;20(2):164-8.
75. Jehan I, Zaidi S, Rizvi S, Mobeen N, McClure EM, Munoz B, et al. Dating gestational age by last menstrual period, symphysis-fundal height, and ultrasound in urban Pakistan. *International Journal of Gynecology & Obstetrics*. 2010;110(3):231-4.
76. Goldenberg RL, McClure EM, Saleem S, Reddy UM. Infection-related stillbirths. *Lancet*. 2010;375(9724):1482-90.
77. Ayaz A, Saleem S. Neonatal mortality and prevalence of practices for newborn care in a squatter settlement of Karachi, Pakistan: a cross-sectional study. *PLoS One*. 2010;5(11):e13783.
78. McClure EM, Saleem S, Pasha O, Goldenberg RL. Stillbirth in developing countries: a review of causes, risk factors and prevention strategies. *The Journal of Maternal-fetal & Neonatal Medicine*. 2009;22(3):183-90.
79. Karmaliani R, Asad N, Bann CM, Moss N, McClure EM, Pasha O, et al. Prevalence of anxiety, depression and associated factors among pregnant women of Hyderabad, Pakistan. *International Journal of Social Psychiatry*. 2009;55(5):414-24.
80. Jehan I, Harris H, Salat S, Zeb A, Mobeen N, Pasha O, et al. Neonatal mortality, risk factors and causes: a prospective population-based cohort study in urban Pakistan. *Bulletin of the World Health Organization*. 2009;87(2):130-8.

81. Engmann C, Jehan I, Ditekemena J, Garces A, Phiri M, Mazariegos M, et al. Using verbal autopsy to ascertain perinatal cause of death: are trained non physicians adequate? *Tropical Medicine & International Health*. 2009;14(12):1496-504.

## EOH and NCD Research Group

(1-175)

1. Ejaz M, Ahmed E, Mubarak M, Hatcher J, Jafar TH. Persistent albuminuria as a surrogate marker of chronic kidney damage among newly diagnosed hypertensives: prevalence and risk factors in an urban population in Karachi. *Clinical and Experimental Hypertension* (in press). 2016.
2. Mayhew AJ, Lock K, Kelishadi R, Swaminathan S, Marcilio CS, Iqbal R, et al. Nutrition labelling, marketing techniques, nutrition claims and health claims on chip and biscuit packages from sixteen countries. *Public Health Nutrition*. 2016;19(06):998-1007.
3. Khan AA, Haider G, Sheikh MR, Ali AF, Khalid Z, Tahir MM, et al. Prevalence of post-traumatic stress disorder due to community violence among university students in the World's most dangerous megacity: a cross-sectional study from Pakistan. *Journal of Interpersonal Violence*. 2016;13:2302-15.
4. Kamal AK, Khoja A, Usmani B, Muqheet A, Zaidi F, Ahmed M, et al. Translating knowledge for action against stroke--using 5-minute videos for stroke survivors and caregivers to improve post-stroke outcomes: study protocol for a randomized controlled trial (Movies4Stroke). *Trials*. 2016;17:52.
5. Ali MK, Bhaskarapillai B, Shivashankar R, Mohan D, Fatmi ZA, Pradeepa R, et al. Socioeconomic status and cardiovascular risk in urban South Asia: The CARRS Study. *European Journal of Preventive Cardiology*. 2016;23(4):408-19.
6. Tanzil S, Nafees AA. Low prevalence of asthma among textile workers in Karachi, Pakistan. *Journal of Pakistan Medical Association*. 2015;65(8):869-74.
7. Siddiqui FJ, Avan BI, Mahmud S, Nanan DJ, Jabbar A, Assam PN. Uncontrolled diabetes mellitus: prevalence and risk factors among people with type 2 diabetes mellitus in an urban district of Karachi, Pakistan. *Diabetes Research and Clinical Practice*. 2015;107(1):148-56.
8. Shahid M, Iqbal R, Khan MM, Khan MZ, Shamsi US, Nakeer R. Risk factors for deliberate self-harm in patients presenting to the emergency departments of Karachi. *Journal of the College of Physicians and Surgeons, Pakistan*. 2015;25(1):50.
9. Rosengren A, Teo K, Rangarajan S, Kabali C, Khumalo I, Kutty VR, et al. Psychosocial factors and obesity in 17 high- middle-and low-income countries: The prospective urban rural epidemiologic study. *International Journal of Obesity*. 2015;39(8):1217-23.
10. Rabbani U, Nafees AA. Comparing lungs function of textile workers with the healthy Pakistan population. *Journal of Ayub Medical College Abbottabad*. 2015;27(2):434-40.
11. Pethani A, Zafar M, Khan AA, Sana UR, Ahmed S, Fatmi Z. Engaging general practitioners in public-private mix tuberculosis DOTS program in an urban area in Pakistan need for context-specific approach. *Asia Pacific Journal of Public Health*. 2015;27(2):984-92.
12. Malik MA, Khan M, Zaman M. Economic burden of mental health in Pakistan. *Journal of Pakistan Psychiatric Society*. 2015;12(1).
13. Leong DP, Teo KK, Rangarajan S, Lopez-Jaramillo P, Avezum A, Orlandini A, et al. Prognostic value of grip strength: findings from the Prospective Urban Rural Epidemiology (PURE) study. *The Lancet*. 2015;386(9990):266-73.
14. Khoso A, Nafees AA. Knowledge, attitude and practices regarding respiratory symptoms among textile workers of Karachi, Pakistan: a cross-sectional survey. *Journal of Pakistan Medical Association*. 2015;65(1):17-23.
15. Khan M, Kamal AK, Pasha O, Islam M, Azam I, Virk A, et al. Study protocol: validation and adaptation of community-worker-administered stroke symptom questionnaire in a periurban Pakistani

*Last updated in September 2016*

- community to determine disease burden. *Journal of Vascular and Interventional Neurology*. 2015;8(1):1.
16. Khan M, Kamal AK, Pasha O, Islam M, Azam I, Virk A, et al. Study protocol: validation and adaptation of community-worker-administered stroke symptom questionnaire in a periurban Pakistani community to determine disease burden. *Journal of Vascular and Interventional Neurology*. 2015;8(1):1-10.
  17. Khan M, Kamal AK, Islam M, Azam I, Virk A, Nasir A, et al. Can trained field community workers identify stroke using a stroke symptom questionnaire as well as neurologists?: adaptation and validation of a community worker administered stroke symptom questionnaire in a peri-urban Pakistani community. *Journal of Stroke and Cerebrovascular Diseases*. 2015;24(1):91-9.
  18. Khan AA, Fatmi Z, Kadir MM. Accuracy and use of WHO hemoglobin color scale for diagnosis of anemia among pregnant women by health care providers in periurban settings in Karachi, Pakistan. *Asia Pacific Journal of Public Health*. 2015;27(6):610-9.
  19. Kamal AK, Shaikh QN, Pasha O, Azam I, Islam M, Memon AA, et al. Improving medication adherence in stroke patients through Short Text Messages (SMS4Stroke)-study protocol for a randomized, controlled trial. *BMC Neurology*. 2015;15(1):1.
  20. Kamal AK, Shaikh Q, Pasha O, Azam I, Islam M, Memon AA, et al. A randomized controlled behavioral intervention trial to improve medication adherence in adult stroke patients with prescription tailored Short Messaging Service (SMS)-SMS4Stroke study. *BMC Neurology*. 2015;15(1):1.
  21. Kamal AK, Majeed F, Pasha O, Islam M, Azam I, Ilyas MS, et al. Study protocol: asymptomatic intracranial atherosclerotic disease in Pakistanis. *Journal of Vascular and Interventional Neurology*. 2015;8(1):27-35.
  22. Kamal AK, Majeed F, Pasha O, Islam M, Azam I, Ilyas MS, et al. Study protocol: asymptomatic intracranial atherosclerotic disease in Pakistanis. *Journal of Vascular and Interventional Neurology*. 2015;8(1):27.
  23. Hussain MA, Noorani S, Khan A, Asad H, Rehan A, Kazi A, et al. The Role of Neighborhood Environment in Promoting Risk Factors of Cardiovascular Disease among Young Adults: Data from Middle to High Income Population in an Asian Megacity. *PLoS One*. 2015;10(5):e0124827.
  24. Berg CJ, Ajay VS, Ali MK, Kondal D, Khan HM, Shivashankar R, et al. A cross-sectional study of the prevalence and correlates of tobacco use in Chennai, Delhi, and Karachi: data from the CARRS study. *BMC Public Health*. 2015;15(1):1.
  25. Ahmad K, Zwi AB, Tarantola DJ, Azam SI. Eye care service use and its determinants in marginalized communities in Pakistan: the Karachi marine fishing communities eye and general health survey. *Ophthalmic Epidemiology*. 2015;22(6):370-9.
  26. Zafar M, Nisar N, Kadir M, Fatmi Z, Ahmed Z, Shafique K. Knowledge, attitude and practices regarding HIV/AIDS among adult fishermen in coastal areas of Karachi. *BMC Public Health*. 2014;14(1):1.
  27. Yusuf S, Rangarajan S, Teo K, Islam S, Li W, Liu L, et al. Cardiovascular risk and events in 17 low-middle-and high-income countries. *New England Journal of Medicine*. 2014;371(9):818-27.
  28. Soghaier MA, Mahmood SF, Pasha O, Azam SI, Karsani MM, Elmagory MM, et al. Factors associated with dengue fever IgG sero-prevalence in South Kordofan State, Sudan, in 2012: reporting prevalence ratios. *Journal of Infection and Public Health*. 2014;7(1):54-61.
  29. Shah SJ, Ahmad H, Rehan RB, Najeeb S, Mumtaz M, Jilani MH, et al. Self-medication with antibiotics among non-medical university students of Karachi: a cross-sectional study. *BMC Pharmacology and Toxicology*. 2014;15(1):1.
  30. O'Donnell M, Mente A, Rangarajan S, McQueen MJ, Wang X, Liu L, et al. Urinary sodium and potassium excretion, mortality, and cardiovascular events. *New England Journal of Medicine*. 2014;371(7):612-23.

31. Khan AH, Majid H, Iqbal R. Shifting of vitamin D deficiency to hypervitaminosis and toxicity. *Journal of the College of Physicians and Surgeons, Pakistan*. 2014;24(7):536.
32. Khan AA, Tanzil S, Jamali T, Shahid A, Naeem S, Sahito A, et al. Burden of asthma among children in a developing megacity: childhood asthma study, Pakistan. *Journal of Asthma*. 2014;51(9):891-9.
33. Khan AA, Fatmi Z. Strategies for prevention of road traffic injuries (RTIs) in Pakistan: situational analysis. *Journal of the College of Physicians and Surgeons, Pakistan*. 2014;24(5):356-60.
34. Kamal AK, Majeed F, Pasha O, Rehman H, Islam M, Azam I, et al. Clinical, lifestyle, socioeconomic determinants and rate of asymptomatic intracranial atherosclerosis in stroke free Pakistanis. *BMC Neurology*. 2014;14:155.
35. Iqbal R, Haroon MA, Dar FJ, Bilgiram M, Bano G, Khan AH. Validation of a food frequency questionnaire for assessing macronutrient and calcium intake in adult Pakistani population. *Journal of the College of Physicians and Surgeons, Pakistan*. 2014;24(4):224-7.
36. Gupta R, Islam S, Mony P, Kutty VR, Mohan V, Kumar R, et al. Socioeconomic factors and use of secondary preventive therapies for cardiovascular diseases in South Asia: The PURE study. *European Journal of Preventive Cardiology*. 2014:2047487314540386.
37. Fatmi Z, Coggon D, Kazi A, Naeem I, Kadir M, Sathiakumar N. Solid fuel use is a major risk factor for acute coronary syndromes among rural women: a matched case control study. *Public Health*. 2014;128(1):77-82.
38. Ahmed M, Fatmi Z, Ali A. Correlation of arsenic exposure through drinking groundwater and urinary arsenic excretion among adults in Pakistan. *Journal of Environmental Health*. 2014;76(6):48.
39. Abbasi IN, Fatmi Z, Kadir MM, Sathiakumar N. Prevalence of hepatitis B virus infection among barbers and their knowledge, attitude and practices in the district of Sukkur, Sindh. *International Journal of Occupational Medicine and Environmental Health*. 2014;27(5):757-65.
40. Zahidie A, Jamali T. An overview of the predictors of depression among adult Pakistani women. *Journal of the College of Physicians and Surgeons, Pakistan*. 2013;23(8):574.
41. Teo K, Lear S, Islam S, Mony P, Dehghan M, Li W, et al. Prevalence of a healthy lifestyle among individuals with cardiovascular disease in high-middle-and low-income countries: the prospective urban rural epidemiology (PURE) study. *Journal of the American Medical Association*. 2013;309(15):1613-21.
42. Sirang Z, Bashir HH, Jalil B, Khan SH, Hussain SA, Baig A, et al. Weight patterns and perceptions among female university students of Karachi: a cross sectional study. *BMC Public Health*. 2013;13(1):1.
43. Shamsi U, Khan S, Usman S, Soomro S, Azam I. A multicenter matched case control study of breast cancer risk factors among women in Karachi, Pakistan. *Asian Pacific Journal of Cancer Prevention*. 2013;14(1):183-8.
44. Pethani A, Zafar M, Khan AA, Sana UR, Ahmed S, Fatmi Z. Engaging general practitioners in public-private mix tuberculosis DOTS program in an urban area in Pakistan need for context-specific approach. *Asia Pacific Journal of Public Health*. 2013.
45. Nasim S, Nadeem N, Zahidie A, Sharif T. Relationship between exercise induced dyspnea and functional capacity with doppler-derived diastolic function'. *BMC Research Notes*. 2013;6(1):1.
46. Nafees AA, Fatmi Z, Kadir MM, Sathiakumar N. Pattern and predictors for respiratory illnesses and symptoms and lung function among textile workers in Karachi, Pakistan. *Occupational and Environmental Medicine*. 2013;70(2):99-107.
47. Mirza A, Ghani A, Pal A, Sami A, Hannan S, Ashraf Z, et al. Thalassemia and premarital screening: potential for implementation of a screening program among young people in Pakistan. *Hemoglobin*. 2013;37(2):160-70.

48. Khan A, Rabbani U, Bawani S, Zafar M, Ahsan A, Fatmi Z. Social determinants of health and adherence to tuberculosis therapy for patients living in Karachi: a qualitative study. *Pakistan Journal of Public Health*. 2013;3(3):9-15.
49. Jafar TH, Haaland BA, Rahman A, Razzak JA, Bilger M, Naghavi M, et al. Non-communicable diseases and injuries in Pakistan: strategic priorities. *The Lancet*. 2013;381(9885):2281-90.
50. Iqbal R, Jafri L, Haroon A, Khan AH. Illuminating the dark side-vitamin D status in different localities of Karachi. *Journal of the College of Physicians and Surgeons, Pakistan*. 2013;23(8):604.
51. Gulamani SS, Premji SS, Kanji Z, Azam SI. A review of postpartum depression, preterm birth, and culture. *The Journal of Perinatal and Neonatal Nursing*. 2013;27(1):52-9.
52. Fatmi Z, Abbasi IN, Ahmed M, Kazi A, Kayama F. Burden of skin lesions of arsenicosis at higher exposure through groundwater of taluka Gambat district Khairpur, Pakistan: a cross-sectional survey. *Environmental Geochemistry and Health*. 2013;35(3):341-6.
53. Coggon D, Ntani G, Palmer KT, Felli VE, Harari R, Barrero LH, et al. Patterns of multisite pain and associations with risk factors. *PAINA*. 2013;154(9):1769-77.
54. Coggon D, Ntani G, Palmer KT, Felli VE, Harari R, Barrero LH, et al. Disabling musculoskeletal pain in working populations: is it the job, the person, or the culture? *PAINA*. 2013;154(6):856-63.
55. Chow CK, Teo KK, Rangarajan S, Islam S, Gupta R, Avezum A, et al. Prevalence, awareness, treatment, and control of hypertension in rural and urban communities in high-middle-and low-income countries. *Journal of the American Medical Association*. 2013;310(9):959-68.
56. Bhamani MA, Karim MS, Khan MM. Depression in the elderly in Karachi, Pakistan: a cross sectional study. *BMC Psychiatry*. 2013;13(1):1.
57. Ali TS, Mogren I, Krantz G. Intimate partner violence and mental health effects: a population-based study among married women in Karachi, Pakistan. *International Journal of Behavioral Medicine*. 2013;20(1):131-9.
58. Afshan G, Hussain AM, Azam SI. Knowledge about pain Clinics and pain physician among general practitioners: a cross-sectional survey. *Pain and Therapy*. 2013;2(2):105-11.
59. Abbasi IN, Gajoo DH, Kumar S, Zainab SZ, Fatmi Z. Pattern of cardiovascular diseases according to age and gender in a rural district of Pakistan. *Pakistan Heart Journal*. 2013;46(3).
60. Zainab S, Fatmi Z, Kazi A. Risk factors for depression among married women belonging to higher and lower socioeconomic status in Karachi, Pakistan. *Journal of Pakistan Medical Association*. 2012;62(3):249-53.
61. Yakub M, Moti N, Parveen S, Chaudhry B, Azam I, Iqbal MP. Polymorphisms in MTHFR, MS and CBS genes and homocysteine levels in a Pakistani population. *PLoS One*. 2012;7(3):e33222.
62. Yakoob J, Abbas Z, Naz S, Islam M, Jafri W. Virulence markers of *Helicobacter pylori* in patients with diarrhoea-dominant irritable bowel syndrome. *British Journal of Biomedical Science*. 2012;69(1):6-10.
63. Yakoob J, Abbas Z, Khan R, Naz S, Ahmad Z, Islam M, et al. Prevalence of non *Helicobacter pylori* species in patients presenting with dyspepsia. *BMC Gastroenterology*. 2012;12(1):1.
64. Wasay M, Malik A, Fahim A, Yousuf A, Chawla R, Daniel H, et al. Knowledge and attitudes about tetanus and rabies: a population-based survey from Karachi, Pakistan. *Journal of Pakistan Medical Association*. 2012;62(4):378-82.
65. Sobani ZU, Saeed Z, Baloch HN, Majeed A, Chaudry S, Sheikh A, et al. Knowledge attitude and practices among urban women of Karachi, Pakistan, regarding breast cancer. *Journal of Pakistan Medical Association*. 2012;62(11):1259-64.
66. Siddiqui OT, Nizami S, Raza E, Ali MU, Bikak M, Siddiqui S, et al. Deceased-donor organ transplantation: knowledge and attitudes among health care professionals managing critically ill patients in Karachi. *Experimental and Clinical Transplantation*. 2012;10(6):544-50.

67. Shaikh S, Nafees AA, Khetpal V, Jamali AA, Arain AM, Yousuf A. Respiratory symptoms and illnesses among brick kiln workers: a cross sectional study from rural districts of Pakistan. *BMC Public Health*. 2012;12(1):1.
68. Shahid M, Hameed K, Iqbal R, Afzal O, Nakeer R, Razzak J. Accuracy of diagnosis and relationship with quality of emergency medicine training program. *Journal of the College of Physicians and Surgeons, Pakistan*. 2012;22(5):342.
69. Shah S, Singh K, Ali MK, Mohan V, Kadir MM, Unnikrishnan AG, et al. Improving diabetes care: multi-component cardiovascular disease risk reduction strategies for people with diabetes in South Asia--the CARRS multi-center translation trial. *Diabetes Research and Clinical Practice*. 2012;98(2):285-94.
70. Qidwai W, Samani ZA, Azam I, Lalani S. Knowledge, attitude and practice of vitamin supplementation among patients visiting out-patient physicians in a teaching hospital in Karachi. *Oman Medical Journal*. 2012;27(2):116-20.
71. Parkash O, Iqbal R, Jafri F, Azam I, Jafri W. Frequency of poor quality of life and predictors of health related quality of life in cirrhosis at a tertiary care hospital Pakistan. *BMC Research Notes*. 2012;5(1):1.
72. Pal K, Kasi PM, Tayyeb M, Mosharraf S, Fatmi Z. Correlates of morbidity and mortality in severe necrotizing pancreatitis. *ISRN Surgery*. 2012;2012.
73. Nusrat M, Khan A, Hamid S, Hussain AA, Kadir MM. Bedtime and its correlates among secondary school children in Karachi, Pakistan. *Journal of Pakistan Medical Association*. 2012;62(11):1168-73.
74. Naqvi S, Naseer M, Kazi A, Pethani A, Naeem I, Zainab S, et al. Implementing a public-private mix model for tuberculosis treatment in urban Pakistan: lessons and experiences. *The International Journal of Tuberculosis and Lung Disease*. 2012;16(6):817-21.
75. Naqvi HA, Sabzwari S, Hussain S, Islam M, Zaman M. General practitioners' awareness and management of common psychiatric disorders: a community-based survey from Karachi, Pakistan. *Eastern Mediterranean Health Journal*. 2012;18(5):446-53.
76. Nair M, Ali MK, Ajay VS, Shivashankar R, Mohan V, Pradeepa R, et al. CARRS Surveillance study: design and methods to assess burdens from multiple perspectives. *BMC Public Health*. 2012;12(1):1.
77. Nafees AA, Khan KS, Fatmi Z, Aslam M. Situation analysis of child labour in Karachi, Pakistan: a qualitative study. *Journal of Pakistan Medical Association*. 2012;62(10):1075-82.
78. Matsushita K, Mahmoodi BK, Woodward M, Emberson JR, Jafar TH, Jee SH, et al. Comparison of risk prediction using the CKD-EPI equation and the MDRD study equation for estimated glomerular filtration rate. *Journal of the American Medical Association*. 2012;307(18):1941-51.
79. Mahmoodi BK, Matsushita K, Woodward M, Blankestijn PJ, Cirillo M, Ohkubo T, et al. Associations of kidney disease measures with mortality and end-stage renal disease in individuals with and without hypertension: a meta-analysis. *The Lancet*. 2012;380(9854):1649-61.
80. Khan AH, Naureen G, Iqbal R. High prevalence of obesity calls for a priority action for non-communicable disease crises in adult women: findings of a community-based study in Karachi, Pakistan. *Food and Nutrition Bulletin*. 2012;33(4):221.
81. Khan AA, Nafees AA, Fatmi Z. Asbestos risk assessment in Pakistan: current scenario and way forward. *The International Journal of Occupational and Environmental Medicine*. 2012;4(1):50-1.
82. Jessani S, Levey AS, Chaturvedi N, Jafar TH. High normal levels of albuminuria and risk of hypertension in indo-asian population. *Nephrology Dialysis Transplantation*. 2012;27(3):58-64.
83. Islam M, Jafar TH, Wood AR, De Silva NMG, Caulfield M, Chaturvedi N, et al. Multiple genetic variants explain measurable variance in type 2 diabetes-related traits in Pakistanis. *Diabetologia*. 2012;55(8):2193-204.

84. Humayun Q, Iqbal R, Azam I, Khan AH, Siddiqui AR, Baig-Ansari N. Development and validation of sunlight exposure measurement questionnaire (SEM-Q) for use in adult population residing in Pakistan. *BMC Public Health*. 2012;12(1):1.
85. Held C, Iqbal R, Lear SA, Rosengren A, Islam S, Mathew J, et al. Physical activity levels, ownership of goods promoting sedentary behaviour and risk of myocardial infarction: results of the interheart study. *European Heart Journal*. 2012;33(4):452-66.
86. Hallan SI, Matsushita K, Sang Y, Mahmoodi BK, Black C, Ishani A, et al. Age and association of kidney measures with mortality and end-stage renal disease. *Journal of the American Medical Association*. 2012;308(22):2349-60.
87. Fox CS, Matsushita K, Woodward M, Bilo HJ, Chalmers J, Heerspink HJL, et al. Associations of kidney disease measures with mortality and end-stage renal disease in individuals with and without diabetes: a meta-analysis. *The Lancet*. 2012;380(9854):1662-73.
88. Ali NS, Azam SI, Ali BS, Tabbusum G, Moin SS. Frequency and associated factors for anxiety and depression in pregnant women: a hospital-based cross-sectional study. *The Scientific World Journal*. 2012.
89. Al-Hezaimi K, Javed F, Ali TS, Al-Askar M, Al-Rasheed A. Rapidly progressive periodontal disease associated with human immunodeficiency virus. *Journal of the College of Physicians and Surgeons, Pakistan*. 2012;22:186-8.
90. Ahmed A, Jabbar A, Zuberi L, Islam M, Shamim K. Diabetes related knowledge among residents and nurses: a multicenter study in Karachi, Pakistan. *BMC Endocrine Disorders*. 2012;12(1):1.
91. Abbasi IN, Ahsan A, Nafees AA. Correlation of respiratory symptoms and spirometric lung patterns in a rural community setting, Sindh, Pakistan: a cross sectional survey. *BMC Pulmonary Medicine*. 2012;12:81.
92. Zahidie A, Kazi A, Fatmi Z, Bhatti MT, Dureshahwar S. Social environment and depression among pregnant women in rural areas of Sind, Pakistan. *JPMA-Journal of the Pakistan Medical Association*. 2011;61(12):1183.
93. Zahidie A, Kazi A, Fatmi Z, Bhatti MT, Dureshahwar S. Social environment and depression among pregnant women in rural areas of Sind, Pakistan. *Journal of Pakistan Medical Association*. 2011;61(12):1183.
94. Yusuf S, Islam S, Chow CK, Rangarajan S, Dagenais G, Diaz R, et al. Use of secondary prevention drugs for cardiovascular disease in the community in high-income, middle-income, and low-income countries (the PURE Study): a prospective epidemiological survey. *The Lancet*. 2011;378(9798):1231-43.
95. Wasay M, Taqi A, Aziz H, Azam I, Beg MA. Neurological involvement in patients with falciparum malaria; frequency and prognostic value. *Clinical Neurology and Neurosurgery*. 2011;113(2):104-6.
96. Vakani F, Fatmi Z, Naqvi K. Three-level quality assessment of a dental hospital using EFQM. *International Journal of Health Care Quality Assurance*. 2011;24(8):582-91.
97. Samir N, Mahmud S, Khuwaja AK. Prevalence of physical inactivity and barriers to physical activity among obese attendants at a community health-care center in Karachi, Pakistan. *BMC Research Notes*. 2011;4(1):1.
98. Saeed F, Jawad A, Azmat A, Syed IA, Kagazwala S. Anthropometric measurements as a risk for hypertensive disorders in pregnancy: a hospital based study in South Asian population. *Journal of the Pakistan Medical Association*. 2011;61(1):58.
99. Sacks FM, Svetkey LP, Vollmer WM, Appel LJ, Bray GA, Harsha D, et al. Effects on blood pressure of reduced dietary sodium and the dietary approaches to stop hypertension (DASH) diet. *New England Journal of Medicine*. 2011;344(1):3-10.

100. Sabzwari SR, Fatmi Z. Comparison of exhaled carbon monoxide levels among commuters and roadside vendors in an urban and a suburban population in Pakistan. *Environmental Monitoring and Assessment*. 2011;180(1-4):399-408.
101. Rees SD, Islam M, Hydrie MZI, Chaudhary B, Bellary S, Hashmi S, et al. An FTO variant is associated with Type 2 diabetes in South Asian populations after accounting for body mass index and waist circumference. *Diabetic Medicine*. 2011;28(6):673-80.
102. Nisar MI, Iqbal R. Letter to the Editor-Smokeless tobacco use prevention and cessation (S-TUPAC): A need of the time. *Journal of Pakistan Medical Association*. 2011;61(7):711.
103. Nafees AA, Taj T, Kadir MM, Fatmi Z, Lee K, Sathiakumar N. Indoor air pollution (PM<sub>2.5</sub>) due to secondhand smoke in selected hospitality and entertainment venues of Karachi, Pakistan. *Tobacco Control*. 2011;21(5):460-4.
104. Nafees AA, Kazi A, Fatmi Z, Irfan M, Ali A, Kayama F. Lung function decrement with arsenic exposure to drinking groundwater along River Indus: a comparative cross-sectional study. *Environmental Geochemistry and Health*. 2011;33(2):203-16.
105. Moatter T, Aban M, Khan S, Azam I, Pervez S. BRCA1 status in Pakistani breast cancer patients with moderate family history. *Journal of the College of Physicians and Surgeons, Pakistan*. 2011;21(11):680.
106. Kumar R, Siddiqui N, Shahid Z, Syed S, Kadir M. Stress, job satisfaction and work hours in medical and surgical residency programmes in private sector teaching hospitals of Karachi, Pakistan. *Journal of Pakistan Medical Association*. 2011;62(10):1109-12.
107. Kooner JS, Saleheen D, Sim X, Sehmi J, Zhang W, Frossard P, et al. Genome-wide association study in individuals of South Asian ancestry identifies six new type 2 diabetes susceptibility loci. *Nature Genetics*. 2011;43(10):984-9.
108. Khuwaja AK, Lalani S, Azam IS, Ali BS, Jabbar A, Dhanani R. Cardiovascular disease-related lifestyle factors among people with type 2 diabetes in Pakistan: a multicentre study for the prevalence, clustering, and associated sociodemographic determinants. *Cardiology Research and Practice*. 2011;2011:8.
109. Jafri L, Khan AH, Siddiqui AA, Mushtaq S, Iqbal R, Ghani F, et al. Comparison of high performance liquid chromatography, radio immunoassay and electrochemiluminescence immunoassay for quantification of serum 25 hydroxy vitamin D. *Clinical Biochemistry*. 2011;44(10):864-8.
110. Jafar TH, Islam M, Bux R, Poulter N, Hatcher J, Chaturvedi N, et al. Cost-Effectiveness of Community-Based Strategies for Blood Pressure Control in a Low-Income Developing Country Findings From a Cluster-Randomized, Factorial-Controlled Trial. *Circulation*. 2011;124(15):1615-25.
111. Jafar TH. Commentary: Cardiovascular risk factors—the next epidemic in Uganda: findings from the population-based HIV/AIDS rural surveillance cohort. *International Journal of Epidemiology*. 2011;40(1):171-3.
112. Iqbal SP, Khan R, Ahmer S. Antipsychotic treatment and weight gain: Does risperidone behave differently in Pakistani psychiatric patients. *Journal of Ayub Medical College, Abbottabad*. 2011;23(1):66-9.
113. International Consortium for Blood Pressure Genome-Wide Association S. Genetic variants in novel pathways influence blood pressure and cardiovascular disease risk. *Nature*. 2011;478(7367):103-9.
114. Humayun Q, Iqbal R. The impact of atmospheric pollution on vitamin D status. *Journal of Pakistan Medical Association*. 2011;61(2):197-8.
115. Habib S, Iqbal R, Shahid M, Habib A. Growing prevalence of osteoporosis in Pakistan: Call for action. *Journal of Pakistan Medical Association*. 2011;65(2):230-1.

116. Fox ER, Young JH, Li Y, Dreisbach AW, Keating BJ, Musani SK, et al. Association of genetic variation with systolic and diastolic blood pressure among African Americans: the Candidate Gene Association Resource study. *Human Molecular Genetics*. 2011;20(11):2273-84.
117. Faqah A, Jafar TH. Control of blood pressure in chronic kidney disease: how low to go? *Nephron Clinical Practice*. 2011;119(4):c324-c32.
118. Dhanani R, Jafferani A, Bhulani N, Azam SI, Khuwaja AK. Predictors of oral tobacco use among young adult patients visiting family medicine clinics in Karachi, Pakistan. *Asian Pacific Journal of Cancer Prevention*. 2011;12(1):43-7.
119. Borycki E, Fatmi Z. An online method for diagnosis of difficult TB cases for developing countries. *International Perspectives in Health Informatics*. 2011;164:168.
120. Bhulani N, Lalani S, Ahmed A, Jan Y, Faheem U, Khan A, et al. Knowledge of asthma management by general practitioners in Karachi, Pakistan: comparison with international guidelines. *Prim Care Respiratory Journal*. 2011;20(4):448-51.
121. Bhanji S, Khuwaja AK, Siddiqui F, Azam I, Kazmi K. Underestimation of weight and its associated factors among overweight and obese adults in Pakistan: a cross sectional study. *BMC Public Health*. 2011;11(1):363.
122. Bhanji S, Andrades M, Taj F, Khuwaja AK, Azam I. Factors related to knowledge and perception of women about smoking: a cross sectional study from a developing country. *BMC Women's Health*. 2011;11(1):1.
123. Ahmed B, Fatmi Z, Siddiqui AR, Sheikh AL. Predictors of unintentional poisoning among children under 5 years of age in Karachi: a matched case-control study. *Injury Prevention*. 2011;17(1):27-32.
124. Ahmed B, Fatmi Z, Siddiqui AR. Population attributable risk of unintentional childhood poisoning in Karachi Pakistan. *PloS One*. 2011;6(10):e26881.
125. Abid S, Jafri W, Mumtaz K, Islam M, Abbas Z, Shah HA, et al. Efficacy of L-ornithine-L-aspartate as an adjuvant therapy in cirrhotic patients with hepatic encephalopathy. *Journal of the College of Physicians and Surgeons, Pakistan*. 2011;21(11):666.
126. Yakub M, Iqbal MP, Iqbal R. Dietary patterns are associated with hyperhomocysteinemia in an urban Pakistani population. *The Journal of Nutrition*. 2010;140(7):1261-6.
127. Yakoob J, Jafri W, Beg MA, Abbas Z, Naz S, Islam M, et al. Irritable bowel syndrome: is it associated with genotypes of *Blastocystis hominis*. *Parasitology Research*. 2010;106(5):1033-8.
128. Yakoob J, Abbas Z, Naz S, Islam M, Abid S, Jafri W. Associations between the plasticity region genes of *helicobacter pylori* and gastroduodenal diseases in a high-prevalence area. *Gut Liver*. 2010;4(3):345-50.
129. Shallwani K, Ramji R, Ali TS, Khuwaja AK. Self-examination for breast and testicular cancers: a community-based intervention study. *Asian Pacific Journal of Cancer Prevention*. 2010;11(2):383-6.
130. Rabbani M, Habib H, Islam M, Ahmed B, Shah S, Tahir S, et al. Early renal damage assessed by the SLICC/ACR damage index is predictor of severe outcome in lupus patients in Pakistan. *Lupus*. 2010;19:1573-8.
131. Perveen S, Otho MS, Siddiqi MN, Hatcher J, Rafique G. Association of depression with newly diagnosed type 2 diabetes among adults aged between 25 to 60 years in Karachi, Pakistan. *Diabetology & Metabolic Syndrome*. 2010;2(1):1.
132. Mansoor S, Habib A, Ghani F, Fatmi Z, Badruddin S, Mansoor S, et al. Prevalence and significance of vitamin D deficiency and insufficiency among apparently healthy adults. *Clinical Biochemistry*. 2010;43(18):1431-5.
133. Krishanani MK, Qidwai W, Ali BS, Khuwaja AK. Educational intervention among barbers about liver cancer-inducing viruses: a pilot study from a developing country. *Journal of Cancer Education*. 2010;25(4):632-6.

134. Khuwaja AK, Lalani S, Dhanani R, Azam IS, Rafique G, White F. Anxiety and depression among outpatients with type 2 diabetes: A multi-centre study of prevalence and associated factors. *Diabetology & Metabolic Syndrome*. 2010;2(1):1.
135. Khuwaja AK, Khowaja LA, Cosgrove P. The economic costs of diabetes in developing countries: some concerns and recommendations. *Diabetologia*. 2010;53(2):389-90.
136. Khuwaja AK, Khowaja S, Motwani K, Khoja AA, Azam IS, Fatmi Z, et al. Preventable lifestyle risk factors for non-communicable diseases in the Pakistan Adolescents Schools Study 1 (PASS-1). *Journal of Preventive Medicine and Public Health*. 2010;44(5):210-7.
137. Khuwaja AK, Kadir MM. Gender differences and clustering pattern of behavioural risk factors for chronic non-communicable diseases: community-based study from a developing country. *Chronic Illness*. 2010;0:1-8.
138. Khowaja LA, Khuwaja AK, Nayani P, Jessani S, Khowaja MP, Khowaja S. Quit Smoking for Life – Social Marketing Strategy for Youth: A Case for Pakistan. *Journal of Cancer Education*. 2010;25(4):637-42.
139. Khan E, Ejaz M, Zafar A, Khan K, Hasan R. Frequency, trends and antimicrobial susceptibility pattern of extended-spectrum b-lactamases (ESBL) producing strains of *Klebsiella pneumonia*. *Journal of Pakistan Medical Association*. 2010.
140. Kazim SF, Islam M, Khan M, Hameed B, Shafqat S. Risk of multiple sclerosis after idiopathic optic neuritis in a Pakistani population. *The Canadian Journal of Neurological Sciences*. 2010;37(02):258-63.
141. Kadir MM, McClure EM, Goudar SS, Garces AL, Moore J, Onyamboko M, et al. Exposure of pregnant women to indoor air pollution: a study from nine low and middle income countries. *Acta Obstetrica et Gynecologica Scandinavica*. 2010;89(4):540-8.
142. Jafar TH, Islam M, Hatcher J, Hashmi S, Bux R, Khan A, et al. Community based lifestyle intervention for blood pressure reduction in children and young adults in developing country: cluster randomised controlled trial. *British Medical Journal*. 2010;340:c2641.
143. Jafar TH, Islam M, Hatcher J, Hashmi S, Bux R, Khan A, et al. Community based lifestyle intervention for blood pressure reduction in children and young adults in developing country: cluster randomised controlled trial. *British Medical Journal*. 2010;340:c2641.
144. Hussain SF, Cloonan YK, Rahbar MH, Islam M. Association of self-reported nasal blockage with sleep-disordered breathing and excessive daytime sleepiness in Pakistani employed adults. *Sleep and Breathing*. 2010;14(4):345-51.
145. Hussain SF, Cloonan YK, Islam M, Rahbar MH. Prevalence and associated risk factors of sleep-disordered breathing symptoms in young and middle-aged Pakistani employed adults. *Sleep and Breathing*. 2010;14(2):137-44.
146. Fatmi Z, Rahman A, Kazi A, Kadir MM, Sathiakumar N. Situational analysis of household energy and biomass use and associated health burden of indoor air pollution and mitigation efforts in Pakistan. *International Journal of Environmental Research and Public Health*. 2010;7(7):2940-52.
147. Fadoo Z, Belgaumi A, Alam M, Azam I, Naqvi A. Pediatric lymphoma: a 10-year experience at a tertiary care hospital in Pakistan. *Journal of Pediatric Hematology/Oncology*. 2010;32(1):e14-e8.
148. Ejaz M, Siddiqui AR, Rafiq Y, Malik F, Channa A, Mangi R, et al. Prevalence of multi-drug resistant tuberculosis in Karachi, Pakistan: identification of at risk groups. *Transactions of the Royal Society of Tropical Medicine and Hygiene*. 2010;104(8):511-7.
149. Ejaz M, Khan E, Zafar A, Siddiqui J, Hasan FR. Changing Epidemiology and Antimicrobial Resistance in *Shigella* species: Experience of tertiary care hospital in Karachi, Pakistan. *Journal of Chemotherapy*. 2010.
150. Almas A, Parkash O, Hameed A, Islam M. Emergency evaluation of acute chest pain. *Journal of the College of Physicians and Surgeons, Pakistan*. 2010;20(2):74.

151. Ali NS, Ali BS, Azam IS, Khuwaja AK. Effectiveness of counseling for anxiety and depression in mothers of children ages 0-30 months by community workers in Karachi, Pakistan: a quasi experimental study. *BMC Psychiatry*. 2010;10(1):1.
152. Akhtar S, Ikram M, Azam I, Dahri T. Factors associated with recurrent nasal polyps: a tertiary care experience. *Journal of the Pakistan Medical Association*. 2010;60(2):102.
153. Chronic Kidney Disease Prognosis Consortium. Association of estimated glomerular filtration rate and albuminuria with all-cause and cardiovascular mortality in general population cohorts: a collaborative meta-analysis. *The Lancet*. 2010;375(9731):2073-81.
154. Zafar A, Habib F, Hadwani R, Ejaz M, Khowaja K, Khowaja R, et al. Impact of infection control activities on the rate of needle stick injuries at a tertiary care hospital of Pakistan over a period of six years: an observational study. *BMC infectious diseases*. 2009;9(1):78.
155. Yaqub M, Iqbal MP, Ali NM, Haider G, Azam I. Blood lead and plasma homocysteine in petrol pump workers in Karachi: Role of vitamins B6, B12, folate and C. *Journal of The Chemical Society of Pakistan*. 2009;31(2):319.
156. Yakoob J, Abid S, Abbas Z, Jafri W, Ahmad Z, Ahmed R, et al. Distribution of *Helicobacter pylori* virulence markers in patients with gastroduodenal diseases in Pakistan. *BMC Gastroenterology*. 2009;9(1):1.
157. Wasay M, Azeemuddin M, Masroor I, Sajjad Z, Ahmed R, Khealani BA, et al. Frequency and outcome of carotid atheromatous disease in patients with stroke in Pakistan. *Stroke*. 2009;40(3):708-12.
158. Warraich HJ, Javed F, Faraz-ul-Haq M, Khawaja FB, Saleem S. Prevalence of obesity in school-going children of Karachi. *PloS One*. 2009;4(3):e4816.
159. Siddiqui AR, Lee K, Bennett D, Yang X, Brown KH, Bhutta ZA, et al. Indoor carbon monoxide and PM2.5 concentrations by cooking fuels in Pakistan. *Indoor Air*. 2009;19(1):75-82.
160. Sajwani RA, Shoukat S, Raza R, Shiekh MM, Rashid Q, Siddique MS, et al. Knowledge and practice of healthy lifestyle and dietary habits in medical and non-medical students of Karachi, Pakistan. *Journal of Pakistan Medical Association*. 2009;59(9):650.
161. Rabbani MA, Habib HB, Islam M, Ahmad B, Majid S, Saeed W, et al. Survival analysis and prognostic indicators of systemic lupus erythematosus in Pakistani patients. *Lupus*. 2009;18(9):848-55.
162. Parkash O, Almas A, Hameed A, Islam M. Comparison of non cardiac chest pain (NCCP) and acute coronary syndrome (ACS) patients presenting to a tertiary care center. *Journal of Pakistan Medical Association*. 2009;59(10):667.
163. Nuruddin R, Lim MK, Hadden WC, Azam I. Comparison of estimates of under-nutrition for pre-school rural Pakistani children based on the WHO standard and the National Center for Health Statistics (NCHS) reference. *Public Health Nutrition*. 2009;12(05):716-22.
164. Naqvi HA, Hussain S, Zaman M, Islam M. Pathways to care: duration of untreated psychosis from Karachi, Pakistan. *PloS One*. 2009;4(10):e7409.
165. Khan AH, Iqbal R. Vitamin D deficiency in an ample sunlight country. *Journal of the College of Physicians and Surgeons, Pakistan*. 2009;19(5):267-8.
166. Kazi A, Fatmi Z, Hatcher J, Niaz U, Aziz A. Development of a stress scale for pregnant women in the South Asian context: the AZ Stress Scale. *Eastern Mediterranean Health Journal*. 2009;15(2):353-61.
167. Iqbal R, Jawaid S, Jabbar A, Qureshi R. Gestational diabetes mellitus--a forerunner of chronic disorders in mother and child. *Journal of Pakistan Medical Association*. 2009;59(7):478.
168. Hasan R, Jabeen K, Mehraj V, Zafar F, Malik F, Hassan Q, et al. Trends in *Mycobacterium tuberculosis* resistance, Pakistan, 1990-2007. *International Journal of Infectious Diseases*. 2009;13(6):e377-e82.
169. Fatmi Z, Kazi A, Hadden WC, Bhutta ZA, Razzak JA, Pappas G. Incidence and pattern of unintentional injuries and resulting disability among children under 5 years of age: results of the National Health Survey of Pakistan. *Paediatric and Perinatal Epidemiology*. 2009;23(3):229-38.

*Last updated in September 2016*

170. Fatmi Z, Azam I, Ahmed F, Kazi A, Gill AB, Kadir MM, et al. Health burden of skin lesions at low arsenic exposure through groundwater in Pakistan. Is river the source? *Environmental Research*. 2009;109(5):575-81.
171. Aly Z, Abbas K, Kazim SF, Taj F, Aziz F, Irfan A, et al. Awareness of stroke risk factors, signs and treatment in a Pakistani population. *Journal of Pakistan Medical Association*. 2009;59(7):495-9.
172. Ali NS, Khuwaja AK, Zafar AM. Characteristics of patients using psychoactive drugs in Karachi, Pakistan. *Pharmacy world & science*. 2009;31(3):369-72.
173. Ali NS, Khuwaja AK, Ali T, Hameed R. Smokeless tobacco use among adult patients who visited family practice clinics in Karachi, Pakistan. *Journal of Oral Pathology & Medicine*. 2009;38(5):416-21.
174. Ahmed J, Ahmed M, Laghari A, Lohana W, Ali S, Fatmi Z. Public private mix model in enhancing tuberculosis case detection in District Thatta, Sindh, Pakistan. *Journal of Pakistan Medical Association*. 2009;59(2):82-6.
175. Abbas Z, Yakoob J, Abid S, Jafri W, Islam M, Azam Z, et al. Furazolidone, co-amoxiclav, colloidal bismuth subcitrate, and esomeprazole for patients who failed to eradicate *Helicobacter pylori* with triple therapy. *Digestive Diseases and Sciences*. 2009;54(9):1953-7.